

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50826009-008



Production Method: Other - Not Listed

Harvest/Lot ID: IYKYK-250822-LT10

Batch#: ZA25-223

Seed to Sale#: TANK 18

Harvest Date: 08/22/25

Sample Size Received: 2 units

Total Amount: 2 units

Retail Product Size: 355 ml

Retail Serving Size: 355 ml

Servings: 1

Sample Density: 1.0 g/mL

Sampled: 08/26/25

Completed: 08/29/25

Sampling Method: SOP.T.20.010.FL

Aug 29, 2025 | IYKYK Beverages, LLC

6420 Congress Avenue

Boca Raton, FL, 33487, US



IYKYK

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC

0.00278%

Total THC/Container : 9.87 mg



Total CBD

ND

Total CBD/Container : 0



Total Cannabinoids

0.00554%

Total Cannabinoids/Container : 19.7 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.00278	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00276
mg/unit	9.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4640, 1665, 585, 1440

Weight:
2.0931g

Extraction date:
08/27/25 10:42:01

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA089965POT

Instrument Used : DA-LC-008

Analyzed Date : 08/28/25 11:10:25

Batch Date : 08/27/25 08:13:04

Dilution : 40

Reagent : 080125.01; 082625.R06; 071025.33; 061825.15; 082625.R03

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164




Signature
08/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemonade Tea 10mg
Lemonade Tea
Matrix : Edible
Type: Beverage



Certificate of Analysis

PASSED

IYKYK Beverages, LLC

6420 Congress Avenue
Boca Raton, FL, 33487, US
Telephone: 9546097772
Email: accounting@iykykbev.com

Sample : DA50826009-008

Harvest/Lot ID: IYKYK-250822-LT10

Batch# : ZA25-223

Sampled : 08/26/25

Ordered : 08/26/25

Sample Size Received : 2 units

Total Amount : 2 units

Completed : 08/29/25 Expires: 08/29/26

Sample Method : SOP.T.20.010.FL

Page 2 of 5

Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	ppm	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	ppm	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	ppm	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	ppm	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 1440 Weight: 0.9931g Extraction date: 08/27/25 12:14:41 Extracted by: 450,3379					
DIAZINON	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : N/A					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : N/A Batch Date : N/A					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Reagent : 080625.R05; 043025.28; 082725.R28; 082525.R04; 082725.R27; 070225.R43; 082725.R03					
FENHEXAMID	0.01	ppm	3	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-094; DA-208; DA-219					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9931g Extraction date: 08/27/25 12:14:41 Extracted by: 450,3379					
FLONICAMID	0.01	ppm	2	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analytical Batch : DA089986VOL					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001 Batch Date : 08/27/25 09:58:59					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/28/25 10:11:46					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Reagent : 080625.R05; 043025.28; 082025.R16; 082025.R17					
MALATHION	0.01	ppm	2	PASS	ND	Consumables : 927.100; 030125CH01; 6822423-02; 17473601					
METALAXYL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
08/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemonade Tea 10mg
Lemonade Tea
Matrix : Edible
Type: Beverage



Certificate of Analysis

PASSED

IYKYK Beverages, LLC

6420 Congress Avenue
Boca Raton, FL, 33487, US
Telephone: 9546097772
Email: accounting@iykykbev.com

Sample : DA50826009-008

Harvest/Lot ID: IYKYK-250822-LT10

Batch# : ZA25-223

Sampled : 08/26/25

Ordered : 08/26/25

Sample Size Received : 2 units

Total Amount : 2 units

Completed : 08/29/25 Expires: 08/29/26

Sample Method : SOP.T.20.010.FL

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
4451, 585, 1440

Weight:
0.0281g

Extraction date:
08/27/25 13:53:23

Extracted by:
4451

Analysis Method : SOP.T.40.041.FL

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : N/A

Batch Date : N/A

Dilution : 1

Reagent : 030420.09

Consumables : 429651; 315545

Pipette : DA-416 (25uL Syringe - 44286); DA-418 (25uL Syringe - 44288)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemonade Tea 10mg
Lemonade Tea
Matrix : Edible
Type: Beverage



Certificate of Analysis

PASSED

IYKYK Beverages, LLC

6420 Congress Avenue
Boca Raton, FL, 33487, US
Telephone: 9546097772
Email: accounting@iykykbev.com

Sample : DA50826009-008

Harvest/Lot ID: IYKYK-250822-LT10

Batch# : ZA25-223

Sampled : 08/26/25

Ordered : 08/26/25

Sample Size Received : 2 units

Total Amount : 2 units

Completed : 08/29/25 Expires: 08/29/26

Sample Method : SOP.T.20.010.FL

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 4892, 4520, 585, 1440	Weight: 1.079g	Extraction date: 08/27/25 09:36:20	Extracted by: 4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : N/A					
Instrument Used : N/A					
Batch Date : N/A					
Dilution : 10					
Reagent : 071525.209; 071525.212; 072425.R11; 080724.13					
Consumables : 7585001026					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 1440	Weight: 0.9931g	Extraction date: 08/27/25 12:14:41	Extracted by: 450,3379		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
Analytical Batch : N/A					
Instrument Used : N/A					
Batch Date : N/A					
Dilution : 250					
Reagent : 080625.R05; 043025.28; 082725.R28; 082525.R04; 082725.R27; 070225.R43; 082725.R03					
Consumables : 927.100; 030125CH01; 6822423-02					
Pipette : DA-094; DA-208; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2646g	Extraction date: 08/27/25 10:53:10	Extracted by: 4531,4797		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : N/A					
Instrument Used : N/A					
Batch Date : N/A					
Dilution : 50					
Reagent : 081325.R05; 080125.R09; 082625.R12; 082225.R18; 082625.R10; 082625.R11; 080625.01; 082125.R06; 061323.01					
Consumables : 030125CH01; J609879-0193; 179436					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
08/29/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Lemonade Tea 10mg
Lemonade Tea
Matrix : Edible
Type: Beverage



Certificate of Analysis

PASSED

IYKYK Beverages, LLC

6420 Congress Avenue
Boca Raton, FL, 33487, US
Telephone: 9546097772
Email: accounting@iykykbev.com

Sample : DA50826009-008

Harvest/Lot ID: IYKYK-250822-LT10

Batch# : ZA25-223

Sampled : 08/26/25

Ordered : 08/26/25

Sample Size Received : 2 units

Total Amount : 2 units

Completed : 08/29/25 Expires: 08/29/26

Sample Method : SOP.T.20.010.FL

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: 1g	Extraction date: 08/27/25 23:04:32	Extracted by: 1879
----------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : N/A

Batch Date : N/A

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/29/25