

Peach Tea 5mg

Sample ID: 2508NBL0627.1808
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 08/26/2025
Completed: 09/04/2025
Batch#: ZA25-212
External Lot ID: IYKYK-250808-PT05,
IYKYK-250811-PT05, IYKYK-250815-
PT05, IYKYK-250818-PT05
Expires: 09/04/2026

Client
IYKYK Beverages, LLC
Lic. #
6420 Congress Avenue
Boca Raton, FL 33487



Summary

Test	Date Tested	Result
Cannabinoids	08/26/2025	Pass
Residual Solvents	08/28/2025	Pass
Microbials	08/28/2025	Pass
Mycotoxins	08/28/2025	Pass
Pesticides	08/28/2025	Pass
Heavy Metals	08/28/2025	Pass

Cannabinoids

Pass

4.509 mg/unit Total THC	0.001% Compliance Result	ND Total CBD	9.466 mg/unit Total Cannabinoids
-----------------------------------	------------------------------------	------------------------	--

Analyte	LOD	LOQ	Result	Result	Result	MU
	mg/unit	mg/unit	mg/unit	mg/mL	%	mg/g
(6aR,9R)-d10-THC	0.8947	1.342	ND	ND	ND	±0
9R-HHC	0.8947	1.342	ND	ND	ND	±0
(6aR,9S)-d10-THC	0.8947	1.342	ND	ND	ND	±0
9S-HHC	0.8947	1.342	ND	ND	ND	±0
CBC	0.8947	1.342	4.957	0.01	0.0014	±0
CBCa	0.8947	1.342	ND	ND	ND	±0
CBD	0.8947	1.342	ND	ND	ND	±0
CBDa	0.8947	1.342	ND	ND	ND	±0
CBDV	0.8947	1.342	ND	ND	ND	±0
CBDVa	0.8947	1.342	ND	ND	ND	±0
CBG	0.8947	1.342	ND	ND	ND	±0
CBGa	0.8947	1.342	ND	ND	ND	±0
CBN	0.8947	1.342	ND	ND	ND	±0
CBNa	0.8947	1.342	ND	ND	ND	±0
Δ8-THC	0.8947	1.342	ND	ND	ND	±0
Δ9-THC	0.8947	1.342	4.509	0.01	0.0013	±0.001
THCa	0.8947	1.342	ND	ND	ND	±0
THCp	0.8947	1.342	ND	ND	ND	±0
THCV	0.8947	1.342	ND	ND	ND	±0
THCVa	0.8947	1.342	ND	ND	ND	±0
Total THC			4.509	0.013	0.001	
Total CBD			ND	ND	ND	
Total			9.466	0.027	0.003	

Date Tested: 08/26/2025

Density: 1 mL = 1.011 g, Unit Mass: 357.894 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000% Amended Report Released Adding External Lot ID, Expiration Date adb 01/07/2025



Ashley N Phillips

Ashley Phillips
Laboratory Director
09/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Peach Tea 5mg

Sample ID: 2508NBL0627.1808
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 08/26/2025
Completed: 09/04/2025
Batch#: ZA25-212
External Lot ID: IYKYK-250808-PT05,
IYKYK-250811-PT05, IYKYK-250815-
PT05, IYKYK-250818-PT05
Expires: 09/04/2026

Client
IYKYK Beverages, LLC
Lic. #
6420 Congress Avenue
Boca Raton, FL 33487

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	MU	Status	Analyte	LOQ	LOD	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	PPM	
Abamectin	0.096	0.028	0.500	ND	±0	Pass	Hexythiazox	0.093	0.028	1.000	ND	±0	Pass
Acephate	0.093	0.028	0.400	ND	±0	Pass	Imazalil	0.093	0.028	0.200	ND	±0	Pass
Acequinocyl	0.093	0.028	2.000	ND	±0	Pass	Imidacloprid	0.093	0.028	0.400	ND	±0	Pass
Acetamiprid	0.093	0.028	0.200	ND	±0	Pass	Kresoxim	0.093	0.028	0.400	ND	±0	Pass
Aldicarb	0.093	0.028	0.400	ND	±0	Pass	Methyl						
Azoxystrobin	0.093	0.028	0.200	ND	±0	Pass	Malathion	0.093	0.028	0.200	ND	±0	Pass
Bifenazate	0.093	0.028	0.200	ND	±0	Pass	Metalaxyl	0.093	0.028	0.200	ND	±0	Pass
Bifenthrin	0.093	0.028	0.200	ND	±0	Pass	Methiocarb	0.093	0.028	0.200	ND	±0	Pass
Boscalid	0.093	0.028	0.400	ND	±0	Pass	Methomyl	0.093	0.028	0.400	ND	±0	Pass
Carbaryl	0.093	0.028	0.200	ND	±0	Pass	Myclobutanil	0.093	0.028	0.200	ND	±0	Pass
Carbofuran	0.093	0.028	0.200	ND	±0	Pass	Naled	0.231	0.070	0.500	ND	±0	Pass
Chlorantraniliprole	0.093	0.028	0.200	ND	±0	Pass	Oxamyl	0.093	0.028	1.000	ND	±0	Pass
Chlorfenapyr	0.074	0.028	1.000	ND	±0	Pass	Pacllobutrazol	0.093	0.028	0.400	ND	±0	Pass
Chlormequat	0.093	0.028	0.200	ND	±0	Pass	Methyl						
Chlorpyrifos	0.093	0.028	0.200	ND	±0	Pass	Parathion	0.074	0.028	0.200	ND	±0	Pass
Clofentezine	0.093	0.028	0.200	ND	±0	Pass	Permethrins	0.093	0.028	0.200	ND	±0	Pass
Cyfluthrin	0.463	0.139	1.000	ND	±0	Pass	Phosmet	0.093	0.028	0.200	ND	±0	Pass
Cypermethrin	0.463	0.139	1.000	ND	±0	Pass	Piperonyl						
Daminozide	0.926	0.278	1.000	ND	±0	Pass	Butoxide	0.093	0.028	2.000	ND	±0	Pass
Diazinon	0.093	0.028	0.200	ND	±0	Pass	Prallethrin	0.093	0.028	0.200	ND	±0	Pass
Dichlorvos	0.046	0.015	0.100	ND	±0	Pass	Propiconazole	0.093	0.028	0.400	ND	±0	Pass
Dimethoate	0.093	0.028	0.200	ND	±0	Pass	Propoxur	0.093	0.028	0.200	ND	±0	Pass
Ethoprophos	0.093	0.028	0.200	ND	±0	Pass	Pyrethrins	0.463	0.139	1.000	ND	±0	Pass
Etofenprox	0.093	0.028	0.400	ND	±0	Pass	Pyridaben	0.093	0.028	0.200	ND	±0	Pass
Etoxazole	0.093	0.028	0.200	ND	±0	Pass	Spinosad	0.094	0.028	0.200	ND	±0	Pass
Fenoxycarb	0.093	0.028	0.200	ND	±0	Pass	Spiromesifen	0.093	0.028	0.200	ND	±0	Pass
Fenpyroximate	0.093	0.028	0.400	ND	±0	Pass	Spirotetramat	0.093	0.028	0.200	ND	±0	Pass
Fipronil	0.093	0.028	0.400	ND	±0	Pass	Spiroxamine	0.093	0.028	0.400	ND	±0	Pass
Flonicamid	0.093	0.028	1.000	ND	±0	Pass	Tebuconazole	0.093	0.028	0.400	ND	±0	Pass
Fludioxonil	0.093	0.028	0.400	ND	±0	Pass	Thiacloprid	0.093	0.028	0.200	ND	±0	Pass
							Thiamethoxam	0.093	0.028	0.200	ND	±0	Pass
							Trifloxystrobin	0.093	0.028	0.200	ND	±0	Pass

Date Tested: 08/28/2025
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
09/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Peach Tea 5mg

Sample ID: 2508NBL0627.1808
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 08/26/2025
Completed: 09/04/2025
Batch#: ZA25-212
External Lot ID: IYKYK-250808-PT05,
IYKYK-250811-PT05, IYKYK-250815-
PT05, IYKYK-250818-PT05
Expires: 09/04/2026

Client
IYKYK Beverages, LLC
Lic. #
6420 Congress Avenue
Boca Raton, FL 33487

Microbials

Pass

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga toxin-producing E. Coli	31.62	ND	Pass
Salmonella	31.73	ND	Pass

Method of Analysis: qPCR, CON-P-6000

Date Tested: 08/28/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPB	PPB	PPB	PPB	PPM	
B1	1	5		ND	±0	Tested
B2	1	5		ND	±0	Tested
G1	1	5		ND	±0	Tested
G2	1	5		ND	±0	Tested
Total Aflatoxins	1	5	20	ND	±0	Pass
Ochratoxin A	6	19	20	ND	±0	Pass

Date Tested: 08/28/2025

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.093	0.400	ND	±0	Pass
Cadmium	0.047	0.093	0.400	ND	±0	Pass
Lead	0.047	0.093	1.000	ND	±0	Pass
Mercury	0.047	0.093	1.200	ND	±0	Pass

Date Tested: 08/28/2025

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
09/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
Lic# AT-2868

Peach Tea 5mg

Sample ID: 2508NBL0627.1808

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 08/26/2025

Completed: 09/04/2025

Batch#: ZA25-212

External Lot ID: IYKYK-250808-PT05,
IYKYK-250811-PT05, IYKYK-250815-
PT05, IYKYK-250818-PT05
Expires: 09/04/2026

Client

IYKYK Beverages, LLC

Lic. #

6420 Congress Avenue
Boca Raton, FL 33487

Residual Solvents

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	MU PPM	Status
Acetone	81.878	272.926	1000.000	ND	±0	Pass
Benzene	0.328	1.092	2.000	ND	±0	Pass
n-Butane	75.328	251.092		ND	±0	Tested
Isobutane	75.328	251.092		ND	±0	Tested
Butanes			1000.000	ND	±0	Pass
Ethanol	81.878	272.926	5000.000	278.278	±2.449	Pass
Ethyl Acetate	81.878	272.926	1000.000	ND	±0	Pass
Heptane	81.878	272.926	1000.000	ND	±0	Pass
n-Hexane	1.638	5.459		ND	±0	Tested
2,2-Dimethylbutane	1.638	5.459		ND	±0	Tested
3-Methylpentane	1.638	5.459		ND	±0	Tested
2-Methylpentane/2,3-Dimethylbutane	3.275	10.917		ND	±0	Tested
Hexanes			60.000	ND	±0	Pass
Methanol	32.751	109.170	600.000	ND	±0	Pass
Isopentane	75.328	251.092		ND	±0	Tested
n-Pentane	32.751	109.170		ND	±0	Tested
Neopentane	75.328	251.092		ND	±0	Tested
Pentanes			1000.000	ND	±0	Pass
2-Propanol	81.878	272.926	1000.000	ND	±0	Pass
Propane	327.511	1091.703	1000.000	ND	±0	Pass
Toluene	0.164	0.546	180.000	ND	±0	Pass
Ethylbenzene	0.164	0.546		ND	±0	Tested
m/p-Xylene	0.164	0.546		ND	±0	Tested
o-Xylene	0.164	0.546		ND	±0	Tested
Xylenes			430.000	ND	±0	Pass

Date Tested: 08/28/2025

Testing Method: HS-GC/MS, CON-P-8000, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measured as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene)



Ashley N Phillips

Ashley Phillips
Laboratory Director
09/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

